UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/711,441	09/19/2004	David Famolari	004900.00025	5440
22907 BANNER & V	22907 7590 06/13/2007 BANNER & WITCOFF, LTD.			
1100 13th STR			SAFAIPOUR, BOBBAK	
	SUITE 1200 WASHINGTON, DC 20005-4051		ART UNIT	PAPER NUMBER
•	•		2618	
			MAIL DATE	DELIVERY MODE
			06/13/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/711,441	FAMOLARI, DAVID				
Office Action Summary	Examiner	Art Unit				
	Bobbak Safaipour	2618				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION  16(a). In no event, however, may a reply be tim  rill apply and will expire SIX (6) MONTHS from  cause the application to become AB ANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 29 M	arch 2007.					
•	and the control of th					
3) Since this application is in condition for allowar	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-26</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-26</u> is/are rejected.						
7) Claim(s) is/are objected to.	) ☐ Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/or	r election requirement.					
Application Papers						
9) The specification is objected to by the Examine	r.					
10)⊠ The drawing(s) filed on <u>19 March 2004</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) ☐ All b) ☐ Some * c) ☐ None of:  1. ☐ Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
,						
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary (PTO-413) Paper No(s)/Mail Date					
3) Information Disclosure Statement(s) (PTO/SB/08)  5) Notice of Informal Patent Application						
Paper No(s)/Mail Date 6)  Other:						

#### **DETAILED ACTION**

This Action is in response to Applicant's response filed on 3/29/2007. Claims 1-26 are still pending in the present application. This action is made FINAL.

# Response to Arguments

Applicant's arguments with respect to claims 1 and 13 have been considered but are moot in view of the new ground(s) of rejection.

Applicant's arguments with respect to claims 4, 8, 10, 12, 16, 20, 22, and 24-25 have been fully considered but they are not persuasive.

Regarding amended independent claim 4, Applicant essentially argues that Bahl (US 2002/0095486) fails to teach "listening for transmissions by said station; and updating said entry for said station responsive to every transmission by said station." Applicant discloses that Bahl teaches transmitting a signal to a location manager of a Mobile A requesting a location update responsive to a time differential exceeding a pre-defined threshold. (paragraph 45).

Examiner respectfully disagrees. Bahl discloses a mobile terminal that is used to communicate with the wireless access point. The mobile terminal may simply query its wireless network interface to determine the address of the wireless access point to which it is connected. It may then transmit this address to the server, which is connected to the access point. This location is then considered by the server as the location of the mobile terminal and stored in the last known location field (read as updating said entry). (figure 2, paragraphs 30-37). The recited

Art Unit: 2618

illioi **id**dinbei. 1077 11,4-

claim language is given the broadest reasonable interpretation; therefore, Bahl discloses updating an entry for a station responsive to every transmission by the station.

Amended independent claim 16 recites similar features to claim 4; therefore, the previous rejection as indicated in the Office Action mailed 12/15/2006 still applies.

Regarding amended independent claim 8, Applicant essentially argues that Goransson et al (US 2004/0121810) fail to teach "adjusting said basis beam to cover said station responsive to determining said station is not covered by said basis beam." Applicant discloses that Goransson et al teach using open loop transmit diversity signaling to provide for downlink beamforming directed toward each mobile user. The antenna weights forming a beam are determined by uplink measurements. (paragraphs 25-26)

Examiner respectfully disagrees. Goransson et al disclose one or more of the beam signals are adjusted as directed by the closed loop transmit diversity feedback information received from the mobile station(s), resulting in an adjust set of beam signals. (paragraph 43) Furthermore, Goransson et al clearly disclose in figure 5, adjusting the beam signals based on the mobile station feedback. The recited claim language is given the broadest reasonable interpretation; therefore, Goransson et al disclose adjusting a basis beam responsive to determining a station is not covered by a basis beam.

Regarding amended independent claim 10, Applicant essentially argues that Goransson et al (US 2004/0121810), in view of Park et al (US 7,043,272 B2), fail to teach "decoding at an access point a first part of a transmitted packet to determine the angle of arrival of said

Art Unit: 2618

2010

transmitted packet as transmitted from a mobile station." Applicants discloses that Park et al disclose performing the decoding at a terminal and that Goransson et al fail to cure the deficiencies of Park et al.

Examiner respectfully disagrees. Park et al disclose a base station (read as access point) that is divided into a plurality of angle areas, and the power of the user signals received through respective angle areas are calculated and compared (read as determine) with a predetermined threshold to be used for estimating the signal angle of arrival range (read as determine angle of arrival). Examiner understands that the "decoding" occurs at an access point. (figure 7; col. 8, lines 45-63) The recited claim language is given the broadest reasonable interpretation; therefore, the base station of Park et al may reasonably be interpreted as an access point.

Amended independent claims 12, 22, and 24 recite similar features to claim 10; therefore, the previous rejection as indicated in the Office Action mailed 12/15/2006 still applies.

Regarding independent claim 20, Applicant essentially argues that Goransson et al (US 2004/0121810) fail to disclose "means for determining if a station is covered by a basis beam." Applicant discloses that Goransson et al relies on uplink measurements in formulating antenna weights. (paragraph 26)

Examiner respectfully disagrees. Goransson et al disclose one or more of the beam signals are adjusted as directed by the closed loop transmit diversity feedback information received from the mobile station(s), resulting in an adjust set of beam signals. (paragraph 43) Furthermore, Goransson et al clearly disclose in figure 5, adjusting the beam signals based on the mobile station feedback. The recited claim language is given the broadest reasonable

Art Unit: 2618

interpretation; therefore, Goransson et al disclose adjusting a basis beam responsive to determining a station is not covered by a basis beam.

Regarding claim 25, Applicant essentially argues that Park et al (US 7,043,272 B2) fail to disclose "an access point comprising: ... determining the angle of arrival of said packets." Applicant discloses that Park et al demonstrate that a terminal calculates a user pilot signal for each time area and feeds a time area number corresponding to the greatest power back to a base station. (col. 8, lines 56-59)

Examiner respectfully disagrees. Examiner respectfully disagrees. Park et al disclose a base station (read as access point) that is divided into a plurality of angle areas, and the power of the user signals received through respective angle areas are calculated and compared (read as determine) with a predetermined threshold to be used for estimating the signal angle of arrival range (read as determine angle of arrival). Examiner understands that the "decoding" occurs at an access point. The recited claim language is given the broadest reasonable interpretation; therefore, the base station of Park et al may reasonably be interpreted as an access point.

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 4-5 and 16-17 are rejected under 35 U.S.C. 102(b) as being anticipated by Bahl (United States Patent Application Publication #2002/0095486 A1).

Consider claim 4, Bahl discloses a method for updating a table in a wireless access point comprising the steps of determining when an entry for a station had been last updated; determining if a time for said last update for said station is greater than a threshold; listening for a transmission by said station; and updating said entry for said station responsive to every transmission by said station (figure 2; paragraphs 30-38 and 45).

Consider claim 16, Bahl discloses a system for updating a table in a wireless access point comprising means for determining when an entry for a station had been last updated; means for determining if a time for said last update for said station is greater than a threshold; means for receiving a transmission by said station; and means for updating said entry for said station responsive to receiving every transmission by said station. (figure 2; paragraphs 30-38 and 45).

Consider claim 5, and as applied to claim 4 above, Bahl discloses sending survey packets to said station (paragraph 26).

Consider claim 17, and as applied to claim 16 above, Bahl discloses means for sending survey packets to said station (paragraph 26).

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 8 and 20 are rejected under 35 U.S.C. 102(e) as being anticipated by Goransson et al (United States Patent Application Publication # 2004/0121810 A1).

Consider claim 8, Goransson et al disclose a method for adjusting beams comprising the steps of: determining if a station is covered by a basis beam; adjusting said basis beam to cover said station responsive to determining said station is not covered by said basis beam. (figure 5, paragraphs 26 and 43)

Consider claim 20, Goransson et al disclose a system for adjusting beams comprising: means for determining if a station is covered by a basis beam; means for adjusting said basis beam to cover said station. (figure 5, paragraphs 26 and 43)

Claims 25 and 26 are rejected under 35 U.S.C. 102(e) as being anticipated by Park et al (United States Patent Application Publication #7,043,272 B2).

Consider claim 25, Park et al disclose an access point comprising:

an antenna array; (figure 1, 101; figure 7; col. 8, lines 45-63)

one or more processes that receive packets from said antenna, said packets generated by mobile stations, said one or more processors decoding a first portion of said packets, determining the angle of arrival of said packets, and outputting antenna array weights to said antenna array to steer a select beam to cover said mobile stations. (abstract; fig. 7; col. 6, line 24 - col. 7, line 7; col. 8, lines 45-63)

Art Unit: 2618

Consider claim 26, and as applied to claim 25 above, Park et al disclose the claimed invention wherein said processor further outputs antenna array weights for adjusting a basis beam generated by said antenna array. (col. 6, line 24 - col. 7, line 7; col. 8, lines 45-63)

### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-3 and 13-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Goransson et al (United States Patent Application Publication # 2004/0121810 A1) in view of Ofuji et al (United States Patent # 7,136,624 B2).

Consider claim 1, Goransson et al disclose a method for adjusting beams in a wireless communication system comprising the steps of: forming a basis beam and forming a select beam

Art Unit: 2618

to cover said mobile station (paragraph 26; Downlink beamforming using a single antenna array forming two beams towards each mobile user.).

Goransson et al fail to disclose listening for a transmission by a mobile station, wherein said transmission includes a packet including a header; and a select beam formed responsive to said header.

In related art, Ofuji et al disclose listening for a transmission by a mobile station, wherein said transmission includes a packet including a header; and a select beam formed responsive to said header. (figures 1-2, col. 8, lines 20-56)

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the teachings of Ofuji et al into the teachings of Goransson et al to prevent directional beams directed to the respective mobile stations from interfering with each other.

Consider claim 13, Goransson et al disclose a system for adjusting beams in a wireless communication system comprising: means for forming a basis beam and means for forming a select beam to cover said mobile station (paragraph 26; Downlink beamforming using a single antenna array forming two beams towards each mobile user.)

Goransson et al fail to disclose means for listening for a transmission by a mobile station, said transmission including at least one packet including at least one header; and wherein means for forming a select beam to cover said mobile station based on said at least one header.

In related art, Ofuji et al disclose means for listening for a transmission by a mobile station, said transmission including at least one packet including at least one header; and wherein

Art Unit: 2618

means for forming a select beam to cover said mobile station based on said at least one header. (figures 1-2, col. 8, lines 20-56)

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the teachings of Ofuji et al into the teachings of Goransson et al to prevent directional beams directed to the respective mobile stations from interfering with each other.

Consider claim 2, and as applied to claim 1 above, Goransson et al, as modified by Ofuji et al, fail to disclose terminating said select beam when said mobile station is no longer transmitting.

Nonetheless, the Examiner takes Official Notice of the fact that is notoriously well known in the art to terminate the select beam when said mobile station is no longer transmitting to reduce interference.

Consider claim 3, and as applied to claim 1 above, Goransson et al, as modified by Ofuji, further disclose determining antenna weights for said basis beam and determining antenna weights for said select beam (Goransson et al: figure 5, paragraphs 20, 26, 41).

Consider claim 14, and as applied to claim 13 above, Goransson et al, as modified by Ofuji et al, fail disclose means for terminating said select beam when said mobile station is no longer transmitting.

Nonetheless, the Examiner takes Official Notice of the fact that is notoriously well known in the art to terminate the select beam when said mobile station is no longer transmitting to reduce interference.

Art Unit: 2618

Consider claim 15, and as applied to claim 13 above, Goransson et al, as modified by Ofuji et al, further disclose means for determining antenna weights for said basis beam and means for determining antenna weights for said select beam (Goransson et al. figure 5, paragraphs 20, 26, 41).

Claims 6-7 and 18-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bahl (United States Patent Application Publication #2002/0095486 A1) in view of Park et al (United States Patent Application Publication #7,043,272 B2).

Consider claim 6, and as applied to claim 4 above, Bahl discloses the claimed invention except wherein said table includes angle of arrival information.

However, Park et al discloses as known in the art an apparatus for forward beamforming using feedback of multipath information wherein the signal angle of arrival range is estimated by measuring the received signal power for the respective angle areas and comparing the measured power with a predetermined threshold value. (col. 6, line 24 - col. 7, line 7)

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention in incorporate the teachings of Park et al into the teachings of Bahl for forward beamforming using a feedback of multipath information.

Consider claim 7, and as applied to claim 4 above, Bahl discloses the claimed invention except for wherein said table includes angle of arrival information computed from synchronization information received in a signal from said station.

Art Unit: 2618

However, Park et al disclose as known in the art a base station that estimates an angle of arrival (AOA) range of a user signal from reverse link received data and calculates a plurality of

beamforming weights steering the estimated AOA range. (abstract; col. 6, line 24 - col. 7, line 7)

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention in incorporate the teachings of Park et al into the teachings of Bahl for forward beamforming using a feedback of multipath information.

Consider claim 18, and as applied to claim 16 above, Bahl discloses the claimed invention except wherein said table includes angle of arrival information.

However, Park et al discloses as known in the art wherein the signal angle of arrival range is estimated by measuring the received signal power for the respective angle areas and comparing the measured power with a predetermined threshold value. (col. 6, line 24 - col. 7, line 7)

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention in incorporate the teachings of Park et al into the teachings of Bahl for forward beamforming using a feedback of multipath information.

Consider claim 19, and as applied to claim 16 above, Bahl discloses the claimed invention except for wherein said table includes angle of arrival information computed from synchronization information received in a signal from said station.

However, Park et al disclose as known in the art a base station that estimates an angle of arrival (AOA) range of a user signal from reverse link received data and calculates a plurality of beamforming weights steering the estimated AOA range. (abstract; col. 6, line 24 - col. 7, line 7)

Art Unit: 2618

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention in incorporate the teachings of Park et al into the teachings of Bahl for forward beamforming using a feedback of multipath information.

Claims 9-12 and 21-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Goransson et al (United States Patent Application Publication # 2004/0121810 A1) in view of Park et al (United States Patent Application Publication #7,043,272 B2).

Consider claim 10, Goransson et al disclose a method for adjusting beams comprising the step of forming a select beam to cover said station (paragraph 26), but fails to disclose decoding at an access point a first part of a transmitted packet to determine the angle of arrival of said transmitted packet as transmitted from a mobile station; and decoding a second part of a transmitted packet as received via said select beam.

However, Park et al disclose as known in the art a base station estimating an angle of arrival (AOA) range of a user signal from reverse link received data and calculates a plurality of beamforming weights steering the estimated AOA range. Then, the base station transmits a user pilot signal by sequentially using the plurality of beamforming weights at different time areas through a control channel to estimate a forward channel conditions. (abstract) Furthermore, Park et al disclose the base station transmits a user pilot signal by sequentially using the beamforming weights steering the estimated AOA range at different time areas. The terminal then calculates a user pilot signal power for each time area and feeds a time area number corresponding to the greatest power back to the base station. The base station identifies the time

Art Unit: 2618

area number fed back from the terminal, and transmits the data channel signal using a beamforming weight corresponding to that time area number. (fig. 7, col. 8, lines 45-63)

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention in incorporate the teachings of Park et al into the teachings of Bahl for forward beamforming using a feedback of multipath information.

Consider claim 12, Goransson et al disclose a method for adjusting beams comprising the step of adjusting a basis beam to ensure coverage of said mobile station (paragraph 26), but fails to disclose decoding at an access point a first part of a transmitted packet to determine the angle of arrival of said transmitted packet as transmitted from a mobile station; adjusting a basis beam to ensure coverage of said mobile station based on said angle of arrival; and decoding a second part of a transmitted packet as received via said select beam.

However, Park et al disclose as known in the art a base station estimating an angle of arrival (AOA) range of a user signal from reverse link received data and calculates a plurality of beamforming weights steering the estimated AOA range. Then, the base station transmits a user pilot signal by sequentially using the plurality of beamforming weights at different time areas through a control channel to estimate a forward channel conditions. (abstract) Furthermore, Park et al disclose the base station transmits a user pilot signal by sequentially using the beamforming weights steering the estimated AOA range at different time areas. The terminal then calculates a user pilot signal power for each time area and feeds a time area number corresponding to the greatest power back to the base station. The base station identifies the time area number fed back from the terminal, and transmits the data channel signal using a beamforming weight corresponding to that time area number. (fig. 7, col. 8, lines 45-63)

Art Unit: 2618

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention in incorporate the teachings of Park et al into the teachings of Bahl for forward

beamforming using a feedback of multipath information.

Consider claim 22, Goransson et al disclose a system for adjusting beams comprising: means for forming a select beam to cover said station (paragraph 26), but fails to disclose means for decoding at an access point a first part of a transmitted packet to determine of said transmitted packet as transmitted from a mobile station; and means for forming a select beam to cover said mobile station based on said angle of arrival; and means decoding a second part of a transmitted packet as received via said select beam.

However, Park et al disclose as known in the art a base station estimating an angle of arrival (AOA) range of a user signal from reverse link received data and calculates a plurality of beamforming weights steering the estimated AOA range. Then, the base station transmits a user pilot signal by sequentially using the plurality of beamforming weights at different time areas through a control channel to estimate a forward channel conditions. (abstract) Furthermore, Park et al disclose the base station transmits a user pilot signal by sequentially using the beamforming weights steering the estimated AOA range at different time areas. The terminal then calculates a user pilot signal power for each time area and feeds a time area number corresponding to the greatest power back to the base station. The base station identifies the time area number fed back from the terminal, and transmits the data channel signal using a beamforming weight corresponding to that time area number. (fig. 7, col. 8, lines 45-63)

Art Unit: 2618

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention in incorporate the teachings of Park et al into the teachings of Bahl for forward beamforming using a feedback of multipath information.

Consider claim 24, Goransson et al disclose a system for adjusting beams comprising means for adjusting a basis beam to ensure coverage of said station (paragraph 26), but fails to disclose means for decoding at an access point a first part of a transmitted packet to determine the angle of arrival of said transmitted packet as transmitted from a mobile station; means for adjusting a basis beam to ensure coverage of said mobile station based on said angle of arrival; and decoding a second part of a transmitted packet as received via said select beam.

However, Park et al disclose as known in the art a base station estimating an angle of arrival (AOA) range of a user signal from reverse link received data and calculates a plurality of beamforming weights steering the estimated AOA range. Then, the base station transmits a user pilot signal by sequentially using the plurality of beamforming weights at different time areas through a control channel to estimate a forward channel conditions. (abstract) Furthermore, Park et al disclose the base station transmits a user pilot signal by sequentially using the beamforming weights steering the estimated AOA range at different time areas. The terminal then calculates a user pilot signal power for each time area and feeds a time area number corresponding to the greatest power back to the base station. The base station identifies the time area number fed back from the terminal, and transmits the data channel signal using a beamforming weight corresponding to that time area number. (fig. 7, col. 8, lines 45-63)

Art Unit: 2618

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention in incorporate the teachings of Park et al into the teachings of Bahl for forward beamforming using a feedback of multipath information.

Consider claim 9, and as applied to claim 8 above, Goransson et al disclose the claimed invention except for wherein an angle of arrival of said station is determined from header information contained in a packet received from said station and wherein said determining step determines if said station is covered by comparing said angle of arrival of said station with angles covered by said basis beam.

However, Park et al disclose as known in the art forward beamforming weight controller 207 stores the calculated transmission beamforming weights, which steer the corresponding angle areas divided by the arrival angle range estimator 204, and transfers the beamforming weights steering the estimated AOA range to the forward beamformer and modulator 206 (abstract; col. 6, line 24 - col. 7, line 7).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention in incorporate the teachings of Park et al into the teachings of Bahl for down-converting and digitizing the signal.

Consider claim 11, and as applied to claim 10 above, Goransson et al, as modified by Park et al, disclose the claimed invention wherein updating an angle of arrival table in said access point with said determined angle of arrival information. (Park et al: abstract; col. 6, line 24 - col. 7, line 7; fig. 7, col. 8, lines 45-63)

Art Unit: 2618

The control Humber. Ton 11,4-

Consider claim 21, and as applied to claim 20 above, Goransson et al disclose the claimed invention except for wherein an angle of arrival of said station is determined from header information contained in a packet received from said station and wherein said determining step determines if said station is covered by comparing said angle of arrival of said station with angles covered by said basis beam.

However, Park et al disclose as known in the art forward beamforming weight controller 207 stores the calculated transmission beamforming weights, which steer the corresponding angle areas divided by the arrival angle range estimator 204, and transfers the beamforming weights steering the estimated AOA range to the forward beamformer and modulator 206 (abstract; col. 6, line 24 - col. 7, line 7).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention in incorporate the teachings of Park et al into the teachings of Bahl for down-converting and digitizing the signal.

Consider claim 23, and as applied to claim 22 above, Goransson et al, as modified by Park et al, disclose the claimed invention except means for updating an angle of arrival table in an access point with said determined angle of arrival information. (Park et al: abstract; col. 6, line 24 - col. 7, line 7; fig. 7, col. 8, lines 45-63)

#### Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 2618

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any response to this Office Action should be faxed to (571) 273-8300 or mailed to:

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Hand-delivered responses should be brought to

Customer Service Window Randolph Building 401 Dulany Street Alexandria, VA 22314

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Bobbak Safaipour whose telephone number is (571) 270-1092. The Examiner can normally be reached on Monday-Friday from 9:00am to 5:00pm.

Art Unit: 2618

supervisor, Edan Orgad can be reached on (571) 272-7884. The fax phone number for the

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's

organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free) or 703-305-

3028.

Any inquiry of a general nature or relating to the status of this application or proceeding

should be directed to the receptionist/customer service whose telephone number is (571) 272-

2600.

Bobbak Safaipour

B.S./bs

May 30, 2007

EDAN ORGAD

PRIMARY PATENT EXAMENSE

When Dry 16/6/07